






# TBS CORROLUX CORRUGATED IRON TUBELIGHT

A press formed metal base closes off corrugations neatly reducing the usage of unsightly sealants resulting in a perfect finish. The corrugation profile offered is manufactured to match Custom Orb® and similar profiles. These fully flashed tubelight kits provide everything you need to bring natural light into your living environment and are ideal for the handyman and tradesman alike. Kits are complete with:

- > Hi-impact opal acrylic dome fixed to a fully flashed metal base
- > 1.5m Highly reflective, U.V resistant reinforced flexilight skylight shaft
- > 500 x 500 square prismatic diffuser and ceiling trim



SECTIONAL DETAIL



## MATERIALS

Standard tubelights are constructed with a press formed Zinalume® base and a high impact acrylic (prismatic) dome. Fabricated bases are available (in stainless steel, aluminum, copper and galvanised) to meet individual customer requirements. Domes can also be manufactured from polycarbonate and in clear, opal or tint finishes.

## SELECTION CHART

SIZE	GLAZING	VENTED MODEL	NON - VENTED MODEL	LIGHT AREA (m <sup>2</sup> )
600	CLEAR	N/A	TBS600NVC	0.22
600	PRISMATIC	N/A	TBS600NVP	0.22



The skylight system illustrations contained in this brochure are the sole property of Regent Skylights and are reserved under copyright law. It is the responsibility of the user to ensure that the selected skylight system complies with the relevant building codes and authorities requirements. Regent Skylights reserves the right to improve or modify the skylight systems at any time. Zinalume® and Colorbond® are registered trademarks of BlueScope Steel Limited.